


Imagine the comfort

Shapes reminiscent of objects hidden in clouds provide an escape for the imagination. At Monaco, we put our imagination to work dreaming up the details that make our products like no other. It's our blueprint for the kind of comfort and luxury that invites you to experience Monaco.




Put your hands on it



The Roadmaster SmartStructure® provides superior strength, balance and weight distribution while enabling Monaco engineers to make maximum use of space.

SmartStructure is fully integrated with your choice of Workhorse® or Ford® chassis.

- A hitch receiver with six-point connector provides plentiful towing capacity.
- 2. The Roadmaster SmartStructure technology allows for more under-the-coach storage, including full pass-through storage bays.
- The steel truss system has a low center of gravity that grounds the coach and provides a strong platform to carry your coach almost anywhere you want to go.
- 4. Propane tank, inverter, water heater and batteries are accessible for easy use and service.
- 5. Anti-lock brakes help you stay in control.



Layers and layers of sidewall protection: (left to right)

- High-gloss gel coat fiberglass.
- Alumaframe C-channel uprights and interlocking cross members filled with one-and-a-half inch fiberglass insulation.
- · Vapor barrier.
- · Bead foam insulation.
- Custom interior paneling.

The roof structure consists of: (top to bottom)

- Peaked aluminum roof.
- Luaun backing.
- Tapered bead foam two inches thick at center.
- Two-and-a-half inch thick aluminum I-beam superstructure filled with fiberglass insulation.
- Vapor barrier.
- Structure foam.
- Bead foam insulation.
- Soft foam padding for extra insulation and interior noise reduction.
- Padded vinyl ceiling.



Add another dimension to your outdoor living with our exterior-mounted entertainment center, complete with CD player, AM/FM radio, speakers and two outlets.

Specifications

BODY CONSTRUCTION

Alumaframe Superstructure
Steel Cage Cockpit Construction
Peaked Aluminum Roof with Fiberglass
Insulation

Smooth Gelcoat Fiberglass Sidewalls Front and Rear Molded Fiberglass Caps with Integrated Bumpers

Steel Framed Floor

Laminated Structurewood Flooring Interior Paneling with 3/4-inch Insulation

Foam Insulated Underbelly with Luan Backer

One-Piece Engine Access Door Power Heated Remote Mirrors Headlamps with Turn Signals Baggage Doors with Integrated Single Handle Latches

One-Piece Polyethylene Pass-Through Storage Compartments with Cargo

Nets

Exterior Vinyl Graphics

Mud Flaps

Rear Ladder

COCKPIT

Fiberglass Automotive Dash
CD Player/Radio with Four Speakers
Multi-Positioned Sunvisors
Rear Vision System Prep
Intermittent Windshield Wipers
Tilt Steering Wheel with Electric
Automotive Horn and Cruise Control
Power Steering
Drink Holder
Vinyl Pilot and Co-Pilot Recliner Seats

Carpeted Driver and Passenger Floor Mats

Computer Laptop Workstation

OPTIONS

Leather Faced Pilot and Co-Pilot Six-Way Power Seats Six-Way Power Pilot Seat Six-Way Power Co-Pilot Seat Power Sunvisors Drivers Side Door CB Prep AM/FM Stereo Cassette (deletes CD Player) Large Double-Door Refrigerator High Output Three-Burner Cooktop with Oven

Microwave with Touch Control (N/A: 30PBD, 36PBD)

Range Hood with 12V Fan (N/A: 30PBD, 36PBD)

Spacesaver Microwave (30PBD, 36PBD) 25-inch Stereo Color TV with Remote in Living Area

13-inch Color TV with Remote in Bedroom

TV Antenna and Booster with TV Jacks VCR Prep with Video Switching Box Cable TV Hook-Up and Telephone Jacks

OPTIONS

Large Double Door Refrigerator with Ice Maker

Four-Door Refrigerator with Ice Maker (N/A: 30PBD, 32PBD)

Recessed High Output Three-Burner Cooktop (w/o Oven) (Std. on 32PBD) Convection Microwave with Touch Control (N/A: 30PBD, 36PBD) Spacesaver Convection Microwave

with Touch Control (30PBD, 36PBD)

Stereo TV Wired through Ceiling Speakers

VCR

Washer/Dryer Prep (N/A: 30PBD, 34SBD, 34PBD) (Requires 10 Gal. Water Heater Option and 50

Amp Service option)

Vented Combination Washer/Dryer (N/A: 30PBD, 34SBD, 34PBD)

Digital Satellite System Prep Exterior Entertainment Center

(Speakers, AM/FM

Radio/CD Player)

INTERIOR

Western Oak Cabinetry
Raised Panel Hardwood Cabinet Doors
Hardwood Cabinet Ends
Telestrut Overhead Storage Doors and
Positive Catches on All Other Doors
Low Friction Roller Drawer Guides
Brass Finished Cabinet Hardware
Solid Surface Kitchen Countertop with
Solid Surface Sinks and Two Sink
Covers

(34PBD, 36PBD, 36PED)

Kitchen Pantry with Adjustable Shelves (N/A: 30PBD)

Booth Dinette with Drawers

Laminated Plank Flooring in Kitchen and Bathroom

Padded Vinyl Ceiling

Overhead Cabinets in Slide-Out Above

Raised Panel Bathroom Door

Solid Surface Bathroom Countertop with Solid Surface Sink

Bath-and-a-Half (36DBD)

One-Piece Fiberglass Shower

Glass Shower Door with Brass Frame Medicine Cabinet with Shelves

Bathroom Mirror

Towel Bars in Bathroom

Full Length Dressing Mirror

Decorative Mirror on Rear Wall (32PBD, 34PBD, 34SBD)

Queen Bed with Shirt Closets and Night Stands

Chair Rail on Rear Bedroom Wall (32PBD, 34PBD, 34SBD)

Bedspread with Pillows

Nylon Carpeting and Pad in Living Area and Bedroom

Day/Night Pleated Shades in Living
Area and Blackout Shades in

Bedroom

Mini Blinds in Kitchen and Bathroom Party Table between Co-Pilot Seat and

Barrel Chair

Fabric Barrel Chair (N/A: 30PBD) Sleeper Sofa (30PBD, 34PBD, 36PBD)

Hide-A-Bed Sofa

(32PBD, 34SBD, 36WDD, 36DBD)

OPTIONS

Autumn Haze Cabinetry Walnut Cabinetry

Swivel Recliner

Raised Panel Doors on Refrigerator Free-Standing Dinette with Two Free-Standing Chairs and Two Folding

Chairs

Bedroom Desk (32PBD, 34SBD, 36WDD) Fabric Sofa with Table (ILO Dinette) (30PBD)

Neo-Angled Bath Tub (N/A: 30PBD, 32PBD, 34SBD)

ELECTRICAL SYSTEMS AND LIGHTS

30 amp 120V Distribution Panel and

Power Cord
55 amp Electronic 12V Power Converter
Onan® 5.0 KW Generator
Two 6V Deep Cycle Batteries
Battery Disconnect Switches
12V and 110V Outlet in Cockpit Area
Porch Light
Power Entry Step with Light
Water Pump Switch in Service Area
Lights in Outside Storage Compartment
120V Receptacles Inside Storage
Compartment

Underhood Utility Light
Computer Hook-Up with Phone Jack
in Dinette Area
Systems Control Center

Fluorescent Ceiling Lights Throughout Incandescent Lights in Ceiling Decorative Dining Light

Cosmetic Lights in Bathroom
Halogen Lights Under Living Room and
Dining Room Cabinets

Decorative Wall Lights in Bedroom Decorative Wall Lights in Living Area

OPTIONS

Energy Management System with 50 Amp Service 50 Amp Service Onan® 5.5 KW Generator 130-Watt Inverter 1500-Watt Inverter with Two Additional Batteries

PLUMBING AND LP SYSTEMS

Demand Water System and Water Pump 6 Gal. LP Gas/Electric Water Heater with Electronic Ignition Winterization Valving System Toilet with Sprayer No-Fuss Flush Black Holding Tank Rinsing System Insulated Systems Compartment with Easy Access to Hook-Up Gravity and Pressurized Water Fill

OPTIONS

10 Gal. LP Gas/Electric Water Heater with Electronic Ignition (N/A: 30PBD)

Water Filter in Kitchen

HEATING, VENTS, AND AIR CONDITIONING

One 13.5M BTU and One 11.0M BTU Air

Conditioner with Ducted Air and Wall Thermostat (Std. in 36 models)

One 13.5M BTU Air Conditioner with Ducted Air and Wall

Thermostat (N/A: 36 Models)

35M BTU Electronic Ignition Furnace Electronic AC/Heat Climate Control

System

In-Floor Ducted Heating System 12V Roof Vent in Bathroom Wet Bay with 12V Heater

OPTIONS

Dual 13.5M BTU Air Conditioner
(Requires 50 Amp Service
Option) (36 Models)
One 13.5M BTU and 11.0M BTU Air
Conditioner with Ducted Air and
Wall Thermostat (30 Models
to 35 Models)

Heat Pump (One per A/C) (N/A with 11.0 A/C)

Cold Weather Package (Individual Tank Heating Pads) 12V Attic Fan in Kitchen

WINDOWS, DOORS AND AWNINGS

Radius Dual Pane Safety Glass Dark
Tinted Slider Windows
Radius Entrance Door with Posi-Lock
and Clear Glass with Screen
Door
Entry Assist Handle
Tinted Skylight in Bathroom
Slide-Out Awnings
Awning Rail

OPTIONS

Acrylic Patio Awning with Metal Cover Automatic Patio Awning Window Awning

SAFETY

Fire Extinguisher
Deadbolt Lock on Entrance Door
120V GFI Protected Circuit (Kitchen,
Bathroom, Exterior)
LP Gas Detector

Smoke Detector Carbon Monoxide Detector Pilot and Co-Pilot Three-Point Seat Belts (Lap and Shoulder) Third Brake Safety Light Egress Window

FORD® CHASSIS/ENGINE/SUSPENSION

Electronic Fuel Injected Gas Engine 6.8L/V10 Cubic Inch Displacement: 415"/6.8L 4-Speed Automatic Transmission

130 amp Alternator Rear Axle Ratio: 5.38:1 Radial Tires: 245/70R/19.5F

with Overdrive

Leaf Spring Suspensions

ABS Brakes

Hitch Receiver* with Six-Point

Stainless Steel Wheel Simulators

Connector (5,000 lb. Hitch on 20,500 lb. GVW Chassis;

4,000 lb. Hitch on 22,000 lb. GVW

Chassis)
Undercoating

OPTIONS

Manual Hydraulic Levelers

WORKHORSE® CHASSIS/ENGINE/SUSPENSION

Electronic Fuel Injected Gas Engine 8.1L/V8
Cubic Inch Displacement: 496"/8.1L

5-Speed Automatic Transmission with Overdrive

130 amp Alternator Rear Axle Ratio: 5.38:1

Radial Tires: 235/80R/22.5G (34SBD, 34PBD, 36WDD, 36DBD),

245/70R/19.5F (30PBD, 32PBD) Leaf Spring Suspensions ABS Brakes

Stainless Steel Wheel Simulators Hitch Receiver with Six-Point Connector

(4,000 lb. on 22,000 lb. GVW Chassis; 5,000 lb. on 20,700 lb. GVW Chassis)

Undercoating

OPTIONS

Manual Hydraulic Levelers

* Your towed vehicle should be equipped with auxiliary brakes if the weight of the towed load exceeds 1,000 lbs.



	30PBD	32PBD	34SBD	34PBD	36WDD	36DBD	36PBD	36PED
FORD® CHASSIS								
WEIGHT RATINGS (LBS.)								
Gross Vehicle	20,500	20,500	22,000	22,000	22,000	22,000	22,000	22,000
Gross Combined	25,500	25,500	26,000	26,000	26,000	26,000	26,000	26,000
Front Gross Axle	7,000	7,000	8,500	8,500	8,500	8,500	8,500	8,500
Rear Gross Axle	13,500	13,500	14,500	14,500	14,500	14,500	14,500	14,500
WORKHORSE® OHASSIS								
WORKHORSE® CHASSIS								
WEIGHT RATINGS (LBS.)								
Gross Vehicle	20,700	20,700	22,000	22,000	22,000	22,000	N/A	22,000
Gross Combined	25,700	25,700	26,000	26,000	26,000	26,000	N/A	26,000
Front Gross Axle	7,500	7,500	8,000	8,000	8,000	8,000	N/A	8,000
Rear Gross Axle	13,500	13,500	14,500	14,500	14,500	14,500	N/A	14,500
MEASUREMENTS								
Wheelbase	208"	208"	228"	228"	228"	228"	228"	228"
Overall Length	31' 8"	32' 8"	34' 10"	34' 10"	36' 6"	36' 6"	36' 6"	36' 6"
Overall Height* – Ford	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"	11' 8"
Overall Height* – Workhor	se 11'8"	11' 8"	12' 0"	12' 0"	12' 0"	12' 0"	12' 0"	12' 0"
Interior Height	78"	78"	78"	78"	78"	78"	78"	78"
Interior Width	94.5"	94.5"	94.5"	94.5"	94.5"	94.5"	94.5"	94.5"
Exterior Width	100.5"	100.5"	100.5"	100.5"	100.5"	100.5"	100.5"	100.5"
* with A/C								

TANK CAPACITY (GAL.) All tank capacities are approximate. Actual "usable capacity" may vary as a result of variances in installation

and fabrication.								
Water Heater	6	6	6	6	6	6	6	6
Gray Tank	42	42	42	42	42	42/40	42	42
Black Tank	42	42	42	42	42	42/39	42	42
Fresh Tank	67	67	67	67	55	55	55	55
LP Tank*	33	33	33	33	33	33	33	33
Fuel Tank	75	75	75	75	75	75	75	75

^{*} Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

Choose

It's time to select some of your own details. It's time to be picky. Our designers have carefully appointed the LaPalma models to provide an array of styles, colors and fabrics. Now it's up to you. Select from the options before you and hit the road in style today. Consider the possibilities and choose your details.





Tea Rose











Palm Garden

Note: While the color of the motorhome's exterior and the interior fabrics shown in this sales brochure are fair and reasonable depictions, they may not be an exact match of the actual colors. Due to product improvements, changes during the model year and/or transcription errors that may occur, information presented within this brochure may not be accurate at the time of your purchase. If certain information is significant to your purchasing decision, please confirm the information with your dealer prior to submitting your order.




CARPET

Floorplans

30PBD






34SBD



34PBD





36WDD



36DBD



36PBD



36PED



